

**NAVFAC
SPECIFICATION**

**CP0836M, Repairs to B-
1665**

AMENDMENT NO. 0002

IMPORTANT

This amendment should be acknowledged when your bid is submitted. Failure to acknowledge the amendment may constitute grounds for rejection of the bid.

If your bid has been submitted prior to the receipt of this amendment, acknowledgement should be made by telegram, which should state whether the price contained in your sealed bid is to remain unchanged, is to be decreased by an amount, or is to be increased by an amount. The acknowledgement must be received prior to bid opening time.

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE	PAGE	OF PAGES
			1	1

2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 9/21/2009	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)
---------------------------------------	--------------------------------	----------------------------------	--------------------------------

6. ISSUED BY CG MCAS Cherry Point FACILITIES, ROICC B-163, CURTIS ROAD PSC BOX 8006 CHERRY POINT, NC 28533	Code N40085	7. ADMINISTERED BY (If other than item 6.)	Code
--	-------------	--	------

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) AMENDMENT MUST BE ACKNOWLEDGED WITH YOUR BID	<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION CP0836M
		9B. DATED (SEE ITEM 11) 9/03/2009
	<input type="checkbox"/>	10A. MODIFICATION OF CONTRACT/ORDER NO.
		10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE	

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers is extended is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning 1 copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (if required)

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

- A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14. ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
- B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATION CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).
- C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
- D. OTHER: (specify type of modification and authority)

E. IMPORTANT: Contractor is not is required to sign this document and return **original** to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

CP0836M, REPAIRS TO B-1665, MARINE CORPS AIR STATION, CHERRY POINT, NORTH CAROLINA

This amendment is issued to provide the attached clarification to the basic RFP.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR (Same as Item 8)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY	16C. DATE SIGNED
(Signature of person authorized to sign)		(Signature of Contracting Officer)	

AMENDMENT INFORMATION SHEET

1) DIVISION 10 - SPECIALTIES

SECTION 10 21 13 - TOILET COMPARTMENTS

PARAGRAPH 2.2.1 - TOILET ENCLOSURES

Replace the paragraph with the following:

"Conform toilet enclosures to CID A-A-60003, Type I, Style B, ceiling hung. Furnish width, length, and height of toilet enclosures as shown. Provide a width of 1 inch. Finish surface of panels shall be laminated plastic, Finish 3; water resistant; graffiti resistant; non-absorbent. This item may contain post-consumer or post-industrial recycled content. Reinforce panels indicated to receive toilet paper holders or grab bars for mounting of the items required. Provide grab bars to withstand a bending stress, shear stress, shear force, and a tensile force induced by 250 lbf. Grab bars shall not rotate within their fittings."

2) DIVISION 10 - SPECIALTIES

SECTION 10 21 13 - TOILET COMPARTMENTS

PARAGRAPH 2.2.2 - ROOM ENTRANCE SCREENS

Replace the paragraph with the following:

"Conform room entrance screens to CID A-A-60003, Type II, Style B, ceiling hung braced. Finish surface of screens shall be laminated plastic, Finish 3; water resistant; graffiti resistant; non-absorbent. This item may contain post-consumer or post-industrial recycled content. Furnish length and height of screens as shown. Provide thickness of 1 inch. Fabricate screens from the same types of panels, pilasters, and fittings as the toilet partitions."

3) DIVISION 10 - SPECIALTIES

SECTION 10 21 13 - TOILET COMPARTMENTS

PARAGRAPH 2.2.3 - URINAL SCREENS

Replace the paragraph with the following:

"Conform room entrance screens to CID A-A-60003, Type II, Style B, ceiling hung. Provide finish for surface of screens as laminated plastic, Finish 3; water resistant; graffiti resistant; non-absorbent. This item may contain post-consumer or post-industrial recycled content. Furnish width and height of urinal screens as shown. Provide thickness of 1 inch. Secure wall hung urinal screens with 42 inch long, continuous flanges. Fabricate screens from the same types of panels and pilasters as the toilet partitions. Use corrosion-resistant steel fittings and fasteners."